



İB-ER MAKİNA A.Ş

Selvilitepe Mah. Kemalpaşa Yolu Cad. İB ER Blok No:20/2 Turgutlu-MANİSA/TÜRKİYE

TEL : + 90 236 312 32 00 & +90 236 312 32 04 - FAX : + 90 236 312 32 06

Mersis No: 0469129640900001

info@ib-er.com



www.ib-er.com

CE-DECLARATION OF CONFORMITY

İB-ER MAKİNA A.Ş
SELVİLİTEPE MAH. KEMALPAŞA YOLU CAD.
İBER BLOK NO:20/2
TURGUTLU-MANİSA/ TURKEY
TEL: +90 236 312 32 00
FAX: +90 236 312 32 06
www.ib-er.com

We hereby certify and declare our sole responsibility for the following Medical Device(s) which relates to *Class 1* according to Medical Directives MDR 2017/745.

The below mentioned products are in conformity with the following standards or other normative documents:

- **ISO 10328** Structural Testing of Lower-limb Prostheses
- **ISO 14971** Risk Analysis
- **MDR 2017/745** Regulation of European Parliament 2017/745

Authorized Representative in EC

Ercan Gözüacık
Reinickendorfer Str 45
13347 Berlin
GERMANY


İB-ER MAKİNA A.Ş.
Selvilitepe Mah. Kemalpaşa Yolu Cad. İB ER Blok No:20/2 Turgutlu/MANİSA
Tel: +90 236 312 32 00 Fax: +90 236 312 32 04
Turgutlu V.D 469 129 6409 Tic Sic.No 604.
Mersis No: 0469129640900001 info@ib-er.com

Erol ERYILMAZ

General Manager

İB-ER MAKİNA A.Ş.

This declaration is valid from January 01, 2021



İB-ER MAKİNA A.Ş

Selvilitpe Mah. Kemalpaşa Yolu Cad. İB ER Blok No:20/2 Turgutlu-MANİSA/TÜRKİYE

TEL : + 90 236 312 32 00 & +90 236 312 32 04 - FAX : + 90 236 312 32 06

Mersis No: 0469129640900001

info@ib-er.com



www.ib-er.com

IB-ER	
2022 January	
STAINLESS STEEL ADAPTERS - 100 & 125 KG. WEIGHT LIMIT	
ITEM CODE	DESCRIPTION
E01s-M8	Sach foot adapter, M8
E01s-M10	Sach foot adapter, M10
E01s-DN-M8	Sach foot adapter, double nail, M8
E01s-DN-M10	Sach foot adapter, double nail, M10
E02s	4-Hole adapter w/fixed receiver
E02s-2	4-Hole adapter w/rotating receiver
E02s-2D	4-Hole adapter w/rotating receiver w/teeth
E03s	4-Hole adapter w/fixed pyramid
E03s-2	4-Hole adapter w/rotating pyramid
E03s-4	4-Hole adapter w/fixed pyramid
E03s-ECC-A	Eccentric 4-Hole adapter w/ fixed pyramid, axial
E03s-ECC-D	Eccentric 4-Hole adapter w/ fixed pyramid, diagonal
E04s-Plate	4-Hole clamping plate of E04s
E04s-Ps	4-Hole adapter w/rotating pyramid M5*20 screw
E04s-Rs	4-Hole adapter w/rotating receiver M5*20 screw
E05s-250	Tube assembly, short
E05s-400	Tube assembly, long
E05s-10D-250	10° Angled tube assembly, short
E05s-10D-400	10° Angled tube assembly, long
E05s-20D-250	20° Angled tube assembly, short
E05s-20D-400	20° Angled tube assembly, long
E07s	Tube clamp adapter, regular size
E06s-5mm	Tube clamp adapter, with 5mm Offset
E06s	Tube clamp adapter, short
E07s-10D	10° Angled tube clamp adapter, long
E07s-20D	20° Angled tube clamp adapter, long
E09s-Body	3-Prong socket adapter
E09s-Rs	3-Prong socket adapter w/rotating receiver
E09s-Ps	3-Prong socket adapter w/rotating pyramid
E09s-Rs-long	3-Prong socket adapter w/rotating long receiver
E09s-Ps-long	3-Prong socket adapter w/rotating long pyramid
E10s-Body	4-Prong socket adapter
E10s-Rs	4-Prong socket adapter w/rotating receiver
E10s-Ps	4-Prong socket adapter w/rotating pyramid
Rs-short	Rotatable receiver
Ps-short	Rotatable pyramid
H04s	Rotatable Receiver with M36 Thread
H03s	Rotatable pyramid with M36 Thread



İB-ER MAKİNA A.Ş

Selvilitepe Mah. Kemalpaşa Yolu Cad. İB ER Blok No:20/2 Turgutlu-MANİSA/TÜRKİYE

TEL : + 90 236 312 32 00 & +90 236 312 32 04 - FAX : + 90 236 312 32 06

Mersis No: 0469129640900001

info@ib-er.com



www.ib-er.com

Rs-long	Rotatable long receiver
Ps-long	Rotatable long pyramid
E11s	3-Prong socket adapter w/fixed pyramid
E12s	4-Prong socket adapter w/center hole
E13s	4-Prong socket adapter w/center hole, large
E15s-32	Double adapter receiver-receiver, 32 mm
E15s-45	Double adapter receiver-receiver, 45 mm
E15s-60	Double adapter receiver-receiver, 60 mm
E15s-75	Double adapter receiver-receiver, 75 mm
E18s	Double adapter pyramid-pyramid
STAINLESS STEEL ADAPTERS - 100 & 125 KG. WEIGHT LIMIT	
ITEM CODE	DESCRIPTION
E21s-32	Double adapter pyramid-receiver, 32 mm
E21s-34	Double adapter pyramid-receiver, 34 mm
E21s-45	Double adapter pyramid-receiver, 45 mm
E21s-60	Double adapter pyramid-receiver, 60 mm
E21s-75	Double adapter pyramid-receiver, 75 mm
E30s	Rotating 4-hole adapter w/fixed pyramid
E31s	Rotating 4-hole adapter w/fixed receiver
E50s(22-25)	Single axis foot adapter, size 22-25
E50s(26-30)	Single axis foot adapter, size 26-30
E57s-32	Connection adapter w/fixed receiver, 32 mm
E57s-60	Connection adapter w/fixed receiver, 60 mm
STAINLESS STEEL ADAPTERS - 134 KG. WEIGHT LIMIT	
ITEM CODE	DESCRIPTION
Ps-Short-134kg	Rotatable Pyramid, Steel for 134 Kg
Rs-Short-134kg	Rotatable Receiver, Steel for 134 Kg
E02s-134kg	4-Hole adapter w/fixed receiver,134 kg
E03s-134kg	4-Hole adapter w/fixed pyramid,134 kg
E03s-4-134kg	4-Hole adapter w/fixed pyramid,134 kg
E05s-250-134kg	Tube assembly, short,134 kg
E05s-400-134kg	Tube assembly, long,134 kg
E07s-134kg	Tube clamp adapter, long,134 kg
E09s-Large Body	Large body 3-Prong socket adapter,134 kg
E09s-Large Body-Rs	3-Prong socket adapter w/rotating receiver,134 kg,ss
E09s-Large Body-Ps	3-Prong socket adapter w/rotating pyramid,134 ks,ss
E12s-134 kg	4-Prong socket adapter w/center hole,134 kg
TITANIUM ADAPTERS - 100 & 125 KG. WEIGHT LIMIT	
ITEM CODE	DESCRIPTION
E01T-M8	Sach foot adapter, M8
E01T-M10	Sach foot adapter, M10
E02T	4-Hole adapter w/fixed receiver
E02T-2	4-Hole adapter w/rotating receiver



İB-ER MAKİNA A.Ş

Selvilitepe Mah. Kemalpaşa Yolu Cad. İB ER Blok No:20/2 Turgutlu-MANİSA/TÜRKİYE

TEL : + 90 236 312 32 00 & +90 236 312 32 04 - FAX : + 90 236 312 32 06

Mersis No: 0469129640900001

info@ib-er.com



www.ib-er.com

E03T	4-Hole adapter w/fixed pyramid
E03T-2	4-Hole adapter w/rotating pyramid
E03T-4	4-Hole adapter w/fixed pyramid
E03T-ECC-A	Eccentric 4-Hole adapter w/ fixed pyramid, axial
E03T-ECC-D	Eccentric 4-Hole adapter w/ fixed pyramid, diagonal
E04T-Pt	4-Hole adapter w/rotating Pyramid M5*20 screw
E04T-Rt	4-Hole adapter w/rotating receiver M5*20 screw
E05T-250	Tube assembly, short
E05T-400	Tube assembly, long
E05T-10D-250	10° Angled tube assembly, short
E05T-10D-400	10° Angled tube assembly, long
E05T-20D-250	20° Angled tube assembly, short
E05T-20D-400	20° Angled tube assembly, long
E06T	Tube clamp adapter, short
E06T-5mm	Tube clamp adapter, with 5mm Offset
E07T	Tube clamp adapter, long
E07T-10D	10° Angled tube clamp adapter, long
E07T-20D	20° Angled tube clamp adapter, long
TITANIUM ADAPTERS - 100 & 125 KG. WEIGHT LIMIT	
ITEM CODE	DESCRIPTION
E09s-Rt	3-Prong socket adapter w/rotating receiver
E09s-Pt	3-Prong socket adapter w/rotating pyramid
E09s-Pt-long	3-Prong socket adapter w/rotating long pyramid
E09s-Rt-long	3-Prong socket adapter w/rotating long receiver
E10s-Rt	4-Prong socket adapter w/rotating receiver
E10s-Pt	4-Prong socket adapter w/rotating pyramid
Rt-short	Rotatable receiver
Pt-short	Rotatable pyramid
Rt-long	Rotatable long receiver
Pt-long	Rotatable long pyramid
H04T	Rotatable receiver with M36 Thread
H03T	Rotatable pyramid with M36 Thread
E15T-32	Double adapter receiver-receiver, 32 mm
E15T-45	Double adapter receiver-receiver, 45 mm
E15T-60	Double adapter receiver-receiver, 60 mm
E15T-75	Double adapter receiver-receiver, 75 mm
E18T	Double adapter pyramid-pyramid
E21T-32	Double adapter pyramid-receiver, 32 mm
E21T-34	Double adapter pyramid-receiver, 34 mm
E21T-45	Double adapter pyramid-receiver, 45 mm
E21T-60	Double adapter pyramid-receiver, 60 mm
E21T-75	Double adapter pyramid-receiver, 75 mm
E30T	Rotating 4-hole adapter w/fixed pyramid

**İB-ER MAKİNA A.Ş**

Selviliştepe Mah. Kemalpaşa Yolu Cad. İB ER Blok No:20/2 Turgutlu-MANİSA/TÜRKİYE

TEL : + 90 236 312 32 00 & +90 236 312 32 04 - FAX : + 90 236 312 32 06

Mersis No: 0469129640900001

info@ib-er.com



E31T	Rotating 4-hole adapter w/fixed receiver
E50T(22-25)	Single axis foot adapter, size 22-25
E50T(26-30)	Single axis foot adapter, size 26-30
E57T-32	Connection adapter w/fixed receiver, 32 mm
E57T-60	Connection adapter w/fixed receiver, 60 mm
TITANIUM ADAPTERS - 134 KG. WEIGHT LIMIT	
ITEM CODE	DESCRIPTION
E02T-134kg	4-Hole adapter w/fixed receiver-134kg
E03T-134kg	4-Hole adapter w/fixed pyramid-134kg
E03T-4-134kg	4-Hole adapter w/fixed pyramid-134 kg
E05T-250-134kg	Tube assembly, short-134 kg
E05T-400-134kg	Tube assembly, long-134 kg
E07T-134kg	Tube clamp adapter, long-134 kg
E12T	4-Prong socket adapter w/center hole,134 kg
S.STEEL & TITANIUM ADAPTERS - 34mm Diameter	
ITEM CODE	DESCRIPTION
E05s-250-Dia34	34mm Diameter Tube assembly, short, Steel
E05s-400-Dia34	34mm Diameter Tube assembly, long, Steel
E05T-250-Dia34	34mm Diameter Tube assembly, short, Titanium
E05T-400-Dia34	34mm Diameter Tube assembly, long, Titanium
E07s-Dia34	Tube Clamp Adapter Dia 34mm, Steel
E07T-Dia34	Tube Clamp Adapter Dia 34mm, Titanium
ALUMINUM ADAPTERS - 100 KG. WEIGHT LIMIT	
ITEM CODE	DESCRIPTION
E01Al-M8	Sach foot adapter, M8
E01Al-M10	Sach foot adapter, M10
E02Al	4-Hole adapter w/fixed receiver
E03Al	4-Hole adapter w/fixed pyramid
E04Al	4-Hole adapter w/rotating receiver M5*20 screw
E05AL-250	Tube assembly, short
E05AL-400	Tube assembly, long
E07Al	Tube clamp adapter, long
E12Al	4-Prong socket adapter w/center hole
E15Al-32	Double adapter receiver-receiver, 32 mm
E15Al-45	Double adapter receiver-receiver, 45 mm
E15Al-60	Double adapter receiver-receiver, 60 mm
E15Al-75	Double adapter receiver-receiver, 75 mm
E18Al	Double adapter pyramid-pyramid
Children Components	
E60-14L	Sach Foot Size 14 Left
E60-14R	Sach Foot Size 14 Right
E60-15L	Sach Foot Size 15 Left



İB-ER MAKİNA A.Ş

Selvilitepe Mah. Kemalpaşa Yolu Cad. İB ER Blok No:20/2 Turgutlu-MANİSA/TÜRKİYE

TEL : + 90 236 312 32 00 & +90 236 312 32 04 - FAX : + 90 236 312 32 06

Mersis No: 0469129640900001

info@ib-er.com



www.ib-er.com

E60-15R	Sach Foot Size 15 Right
E60-16L	Sach Foot Size 16 Left
E60-16R	Sach Foot Size 16 Right
E60-17L	Sach Foot Size 17 Left
E60-17R	Sach Foot Size 17 Right
E60-18L	Sach Foot Size 18 Left
E60-18R	Sach Foot Size 18 Right
E60-19L	Sach Foot Size 19 Left
E60-19R	Sach Foot Size 19 Right
E60-20L	Sach Foot Size 20 Left
E60-20R	Sach Foot Size 20 Right
E60-21L	Sach Foot Size 21 Left
E60-21R	Sach Foot Size 21 Right
E01AI-C	Aluminum Sach Foot Adapter for Child
E05AI-C	Aluminum Tube Adapter for Child
E07AI-C	Aluminum Tube Clamp Adapter for Child
E12AI-C	Aluminum Socket Adapter for Child
E02AI-C	Aluminum Socket Adapter with 4 Screws for Child
E20-C	Socket Attachment Block for Child
E08AI-C	Angled Tube Clamp Adapter for Child
E80	Single Axis Knee Joint with Manual Lock for Child
E81	Single Axis Knee Joint with Adjustable Extension for Child
CARBON FOOT & FOOT SHELL	
ITEM CODE	DESCRIPTION
W23-CAT1	Winged Carbon Foot, Size 23 Category 1
W23-CAT2	Winged Carbon Foot, Size 23 Category 2
W23-CAT3	Winged Carbon Foot, Size 23 Category 3
W23-CAT4	Winged Carbon Foot, Size 23 Category 4
W23-CAT5	Winged Carbon Foot, Size 23 Category 5
W24-CAT1	Winged Carbon Foot, Size 24 Category 1
W24-CAT2	Winged Carbon Foot, Size 24 Category 2
W24-CAT3	Winged Carbon Foot, Size 24 Category 3
W24-CAT4	Winged Carbon Foot, Size 24 Category 4
W24-CAT5	Winged Carbon Foot, Size 24 Category 5
W25-CAT1	Winged Carbon Foot, Size 25 Category 1
W25-CAT2	Winged Carbon Foot, Size 25 Category 2
W25-CAT3	Winged Carbon Foot, Size 25 Category 3
W25-CAT4	Winged Carbon Foot, Size 25 Category 4
W25-CAT5	Winged Carbon Foot, Size 25 Category 5
W26-CAT1	Winged Carbon Foot, Size 26 Category 1
W26-CAT2	Winged Carbon Foot, Size 26 Category 2
W26-CAT3	Winged Carbon Foot, Size 26 Category 3
W26-CAT4	Winged Carbon Foot, Size 26 Category 4



İB-ER MAKİNA A.Ş

Selvilitepe Mah. Kemalpaşa Yolu Cad. İB ER Blok No:20/2 Turgutlu-MANİSA/TÜRKİYE

TEL : + 90 236 312 32 00 & +90 236 312 32 04 - FAX : + 90 236 312 32 06

Mersis No: 0469129640900001

info@ib-er.com



www.ib-er.com

W26-CAT5	Winged Carbon Foot, Size 26 Category 5
W27-CAT1	Winged Carbon Foot, Size 27 Category 1
W27-CAT2	Winged Carbon Foot, Size 27 Category 2
W27-CAT3	Winged Carbon Foot, Size 27 Category 3
W27-CAT4	Winged Carbon Foot, Size 27 Category 4
W27-CAT5	Winged Carbon Foot, Size 27 Category 5
W28-CAT1	Winged Carbon Foot, Size 28 Category 1
W28-CAT2	Winged Carbon Foot, Size 28 Category 2
W28-CAT3	Winged Carbon Foot, Size 28 Category 3
W28-CAT4	Winged Carbon Foot, Size 28 Category 4
W28-CAT5	Winged Carbon Foot, Size 28 Category 5
W29-CAT1	Winged Carbon Foot, Size 29 Category 1
W29-CAT2	Winged Carbon Foot, Size 29 Category 2
W29-CAT3	Winged Carbon Foot, Size 29 Category 3
W29-CAT4	Winged Carbon Foot, Size 29 Category 4
W29-CAT5	Winged Carbon Foot, Size 29 Category 5
Short23-CAT1	Short Carbon Foot, Size 23 Category 1
Short23-CAT2	Short Carbon Foot, Size 23 Category 2
Short23-CAT3	Short Carbon Foot, Size 23 Category 3
Short23-CAT4	Short Carbon Foot, Size 23 Category 4
Short23-CAT5	Short Carbon Foot, Size 23 Category 5
Short24-CAT1	Short Carbon Foot, Size 24 Category 1
Short24-CAT2	Short Carbon Foot, Size 24 Category 2
Short24-CAT3	Short Carbon Foot, Size 24 Category 3
Short24-CAT4	Short Carbon Foot, Size 24 Category 4
Short24-CAT5	Short Carbon Foot, Size 24 Category 5
Short25-CAT1	Short Carbon Foot, Size 25 Category 1
Short25-CAT2	Short Carbon Foot, Size 25 Category 2
Short25-CAT3	Short Carbon Foot, Size 25 Category 3
Short25-CAT4	Short Carbon Foot, Size 25 Category 4
Short25-CAT5	Short Carbon Foot, Size 25 Category 5
Short26-CAT1	Short Carbon Foot, Size 26 Category 1
Short26-CAT2	Short Carbon Foot, Size 26 Category 2
Short26-CAT3	Short Carbon Foot, Size 26 Category 3
Short26-CAT4	Short Carbon Foot, Size 26 Category 4
Short26-CAT5	Short Carbon Foot, Size 26 Category 5
Short27-CAT1	Short Carbon Foot, Size 27 Category 1
Short27-CAT2	Short Carbon Foot, Size 27 Category 2
Short27-CAT3	Short Carbon Foot, Size 27 Category 3
Short27-CAT4	Short Carbon Foot, Size 27 Category 4
Short27-CAT5	Short Carbon Foot, Size 27 Category 5
Short28-CAT1	Short Carbon Foot, Size 28 Category 1
Short28-CAT2	Short Carbon Foot, Size 28 Category 2



İB-ER MAKİNA A.Ş

Selvilitepe Mah. Kemalpaşa Yolu Cad. İB ER Blok No:20/2 Turgutlu-MANİSA/TÜRKİYE

TEL : + 90 236 312 32 00 & +90 236 312 32 04 - FAX : + 90 236 312 32 06

Mersis No: 0469129640900001

info@ib-er.com



www.ib-er.com

Short28-CAT3	Short Carbon Foot, Size 28 Category 3
Short28-CAT4	Short Carbon Foot, Size 28 Category 4
Short28-CAT5	Short Carbon Foot, Size 28 Category 5
Short29-CAT1	Short Carbon Foot, Size 29 Category 1
Short29-CAT2	Short Carbon Foot, Size 29 Category 2
Short29-CAT3	Short Carbon Foot, Size 29 Category 3
Short29-CAT4	Short Carbon Foot, Size 29 Category 4
Short29-CAT5	Short Carbon Foot, Size 29 Category 5
Supreme24-CAT1	Supreme Carbon Foot, Size 24 Category 1
Supreme24-CAT2	Supreme Carbon Foot, Size 24 Category 2
Supreme24-CAT3	Supreme Carbon Foot, Size 24 Category 3
Supreme24-CAT4	Supreme Carbon Foot, Size 24 Category 4
Supreme24-CAT5	Supreme Carbon Foot, Size 24 Category 5
Supreme25-CAT1	Supreme Carbon Foot, Size 25 Category 1
Supreme25-CAT2	Supreme Carbon Foot, Size 25 Category 2
Supreme25-CAT3	Supreme Carbon Foot, Size 25 Category 3
Supreme25-CAT4	Supreme Carbon Foot, Size 25 Category 4
Supreme25-CAT5	Supreme Carbon Foot, Size 25 Category 5
Supreme26-CAT1	Supreme Carbon Foot, Size 26 Category 1
Supreme26-CAT2	Supreme Carbon Foot, Size 26 Category 2
Supreme26-CAT3	Supreme Carbon Foot, Size 26 Category 3
Supreme26-CAT4	Supreme Carbon Foot, Size 26 Category 4
Supreme26-CAT5	Supreme Carbon Foot, Size 26 Category 5
Supreme27-CAT1	Supreme Carbon Foot, Size 27 Category 1
Supreme27-CAT2	Supreme carbon Foot, Size 27 Category 2
Supreme27-CAT3	Supreme Carbon Foot, Size 27 Category 3
Supreme27-CAT4	Supreme Carbon Foot, Size 27 Category 4
Supreme27-CAT5	Supreme Carbon Foot, Size 27 Category 5
Supreme28-CAT1	Supreme Carbon Foot, Size 28 Category 1
Supreme28-CAT2	Supreme Carbon Foot, Size 28 Category 2
Supreme28-CAT3	Supreme Carbon Foot, Size 28 Category 3
Supreme28-CAT4	Supreme Carbon Foot, Size 28 Category 4
Supreme28-CAT5	Supreme Carbon Foot, Size 28 Category 5
Symes23-CAT1	Symes Carbon Foot, Size 23 Category 1
Symes23-CAT2	Symes Carbon Foot, Size 23 Category 2
Symes23-CAT3	Symes Carbon Foot, Size 23 Category 3
Symes23-CAT4	Symes Carbon Foot, Size 23 Category 4
Symes23-CAT5	Symes Carbon Foot, Size 23 Category 5
Symes24-CAT1	Symes Carbon Foot, Size 24 Category 1
Symes24-CAT2	Symes Carbon Foot, Size 24 Category 2
Symes24-CAT3	Symes Carbon Foot, Size 24 Category 3
Symes24-CAT4	Symes Carbon Foot, Size 24 Category 4
Symes24-CAT5	Symes Carbon Foot, Size 24 Category 5



İB-ER MAKİNA A.Ş

Selvilitepe Mah. Kemalpaşa Yolu Cad. İB ER Blok No:20/2 Turgutlu-MANİSA/TÜRKİYE

TEL : + 90 236 312 32 00 & +90 236 312 32 04 - FAX : + 90 236 312 32 06

Mersis No: 0469129640900001

info@ib-er.com



www.ib-er.com

Symes25-CAT1	Symes Carbon Foot, Size 25 Category 1
Symes25-CAT2	Symes Carbon Foot, Size 25 Category 2
Symes25-CAT3	Symes Carbon Foot, Size 25 Category 3
Symes25-CAT4	Symes Carbon Foot, Size 25 Category 4
Symes25-CAT5	Symes Carbon Foot, Size 25 Category 5
Symes26-CAT1	Symes Carbon Foot, Size 26 Category 1
Symes26-CAT2	Symes Carbon Foot, Size 26 Category 2
Symes26-CAT3	Symes Carbon Foot, Size 26 Category 3
Symes26-CAT4	Symes Carbon Foot, Size 26 Category 4
Symes26-CAT5	Symes Carbon Foot, Size 26 Category 5
Symes27-CAT1	Symes Carbon Foot, Size 27 Category 1
Symes27-CAT2	Symes Carbon Foot, Size 27 Category 2
Symes27-CAT3	Symes Carbon Foot, Size 27 Category 3
Symes27-CAT4	Symes Carbon Foot, Size 27 Category 4
Symes27-CAT5	Symes Carbon Foot, Size 27 Category 5
Symes28-CAT1	Symes Carbon Foot, Size 28 Category 1
Symes28-CAT2	Symes Carbon Foot, Size 28 Category 2
Symes28-CAT3	Symes Carbon Foot, Size 28 Category 3
Symes28-CAT4	Symes Carbon Foot, Size 28 Category 4
Symes28-CAT5	Symes Carbon Foot, Size 28 Category 5
Symes29-CAT1	Symes Carbon Foot, Size 29 Category 1
Symes29-CAT2	Symes Carbon Foot, Size 29 Category 2
Symes29-CAT3	Symes Carbon Foot, Size 29 Category 3
Symes29-CAT4	Symes Carbon Foot, Size 29 Category 4
Symes29-CAT5	Symes Carbon Foot, Size 29 Category 5
FM23	FM Carbon Foot, Size 23
FM24	FM Carbon Foot, Size 24
FM25	FM Carbon Foot, Size 25
FM26	FM Carbon Foot, Size 26
FM27	FM Carbon Foot, Size 27
FM28	FM Carbon Foot, Size 28
AS-23L	Foot Shell Size 23 Left Beige Color
AS-23R	Foot Shell Size 23 Right Beige Color
AS-24L	Foot Shell Size 24 Left Beige Color
AS-24R	Foot Shell Size 24 Right Beige Color
AS-25L	Foot Shell Size 25 Left Beige Color
AS-25R	Foot Shell Size 25 Right Beige Color
AS-26L	Foot Shell Size 26 Left Beige Color
AS-26R	Foot Shell Size 26 Right Beige Color
AS-27L	Foot Shell Size 27 Left Beige Color
AS-27R	Foot Shell Size 27 Right Beige Color
AS-28L	Foot Shell Size 28 Left Beige Color
AS-28R	Foot Shell Size 28 Right Beige Color



İB-ER MAKİNA A.Ş

Selvilitepe Mah. Kemalpaşa Yolu Cad. İB ER Blok No:20/2 Turgutlu-MANİSA/TÜRKİYE

TEL : + 90 236 312 32 00 & +90 236 312 32 04 - FAX : + 90 236 312 32 06

Mersis No: 0469129640900001

info@ib-er.com



www.ib-er.com

AS-29L	Foot Shell Size 29 Left Beige Color
AS-29R	Foot Shell Size 29 Right Beige Color
AB-23L	Foot Shell Size 23 Left Brown Color
AB-23R	Foot Shell Size 23 Right Brown Color
AB-24L	Foot Shell Size 24 Left Brown Color
AB-24R	Foot Shell Size 24 Right Brown Color
AB-25L	Foot Shell Size 25 Left Brown Color
AB-25R	Foot Shell Size 25 Right Brown Color
AB-26L	Foot Shell Size 26 Left Brown Color
AB-26R	Foot Shell Size 26 Right Brown Color
AB-27L	Foot Shell Size 27 Left Brown Color
AB-27R	Foot Shell Size 27 Right Brown Color
AB-28L	Foot Shell Size 28 Left Brown Color
AB-28R	Foot Shell Size 28 Right Brown Color
AB-29L	Foot Shell Size 29 Left Brown Color
AB-29R	Foot Shell Size 29 Right Brown Color
FST	Foot Shell Removal Tool
S-CF	Carbon Foot Stocking
SILICONE LINERS & VALVES & KNEES & LOCKS	
ITEM CODE	DESCRIPTION
SL-10-18	Silicone Liner with Distal Attachment Size 18
SL-10-20	Silicone Liner with Distal Attachment Size 20
SL-10-21	Silicone Liner with Distal Attachment Size 21
SL-10-22	Silicone Liner with Distal Attachment Size 22
SL-10-23,5	Silicone Liner with Distal Attachment Size 23,5
SL-10-25	Silicone Liner with Distal Attachment Size 25
SL-10-26,5	Silicone Liner with Distal Attachment Size 26,5
SL-10-28	Silicone Liner with Distal Attachment Size 28
SL-10-30	Silicone Liner with Distal Attachment Size 30
SL-10-32	Silicone Liner with Distal Attachment Size 32
SL-10-34	Silicone Liner with Distal Attachment Size 34
SL-10-36	Silicone Liner with Distal Attachment Size 36
SL-10-38	Silicone Liner with Distal Attachment Size 38
SL-10-40	Silicone Liner with Distal Attachment Size 40
SL-10-42	Silicone Liner with Distal Attachment Size 42
SL-10-45	Silicone Liner with Distal Attachment Size 45
SL-18	Silicone Liner without Distal Attachment Size 18
SL-20	Silicone Liner without Distal Attachment Size 20
SL-21	Silicone Liner without Distal Attachment Size 21
SL-22	Silicone Liner without Distal Attachment Size 22
SL-23,5	Silicone Liner without Distal Attachment Size 23,5
SL-25	Silicone Liner without Distal Attachment Size 25



İB-ER MAKİNA A.Ş

Selvilitepe Mah. Kemalpaşa Yolu Cad. İB ER Blok No:20/2 Turgutlu-MANİSA/TÜRKİYE

TEL : + 90 236 312 32 00 & +90 236 312 32 04 - FAX : + 90 236 312 32 06

Mersis No: 0469129640900001

info@ib-er.com



www.ib-er.com

SL-26,5	Silicone Liner without Distal Attachment Size 26,5
SL-28	Silicone Liner without Distal Attachment Size 28
SL-30	Silicone Liner without Distal Attachment Size 30
SL-32	Silicone Liner without Distal Attachment Size 32
SL-34	Silicone Liner without Distal Attachment Size 34
SL-36	Silicone Liner without Distal Attachment Size 36
SL-38	Silicone Liner without Distal Attachment Size 38
GL-S-6-10	Gel Liner with Distal Attachment Size S
GL-M-6-10	Gel Liner with Distal Attachment Size M
GL-L-6-10	Gel Liner with Distal Attachment Size L
GL-XL-6-10	Gel Liner with Distal Attachment Size XL
GL-S-6	Gel Liner without Distal Attachment Size S
GL-M-6	Gel Liner without Distal Attachment Size M
GL-L-6	Gel Liner without Distal Attachment Size L
GL-XL-6	Gel Liner without Distal Attachment Size XL
KP-S	Gel Sleeve Size S
KP-M	Gel Sleeve Size M
KP-MP	Gel Sleeve Size MP
KP-L	Gel Sleeve Size L
KP-LP	Gel Sleeve Size LP
VAC-60-30	Active Vacuum Unit for Dia. 30mm Tube Weight Limit 60 Kg
VAC-75-30	Active Vacuum Unit for Dia. 30mm Tube Weight Limit 75 Kg
VAC-100-30	Active Vacuum Unit for Dia. 30mm Tube Weight Limit 100Kg
VAC-125-34	Active Vacuum Unit for Dia. 34mm Tube Weight Limit 125Kg
VAC-60-RR	Active Vacuum Unit Receiver-Receiver Weight Limit 60 Kg
VAC-75-RR	Active Vacuum Unit Receiver-Receiver Weight Limit 75 Kg
VAC-100-RR	Active Vacuum Unit Receiver-Receiver Weight Limit 100 Kg
Vac-200	Automatic Flat Rubber Valve
Vac-200-Ext	Connection Tube with Seat Ring
Vac-300	One-way Valve with Aluminium Body
EPS-Valve	One-way Valve with Aluminium Body with Button
E19-75	Plastic socket attachment block, 75 mm
E19-80	Plastic socket attachment block, 80 mm
E19-85	Plastic socket attachment block, 85 mm
E19-90	Plastic socket attachment block, 90 mm
E20 thick	Socket attachment block, thick
E20 thin	Socket attachment block, thin
E40	Single axis knee w/lock and rot. pyramid, centered wire
E41	Single axis knee w/manual lock with wire
E41-Body	Single axis knee,body
E41-Adapter	Adapter for E41 knee
E41-Pyramid	Lamination anchor
E41-one prong	Fixing part of lamination anchor for E41 knee



İB-ER MAKİNA A.Ş

Selvilitepe Mah. Kemalpaşa Yolu Cad. İB ER Blok No:20/2 Turgutlu-MANİSA/TÜRKİYE

TEL : + 90 236 312 32 00 & +90 236 312 32 04 - FAX : + 90 236 312 32 06

Mersis No: 0469129640900001

info@ib-er.com



www.ib-er.com

E41 Prong Connection	Prong connection for E41 Knee
E41-wire	wire for E41 knee
E42s	Single axis friction knee, steel
E42T	Single axis friction knee, titanium
E42-EXT	Extension assist w/plastic cover w/wire
E43s	Single axis knee joint w/manual lock, steel
E43T	Single axis knee joint w/manual lock, titanium
E45s	Disarticulation knee, steel
E45T	Disarticulation knee, titanium
E46s	Disarticulation knee w/manual lock, steel
E47	Single axis knee w/manual lock w/lamination anchor
E48	Single axis knee w/lock and rot. pyramid w/sided wire
E49Al	Single axis knee Joint with manual Lock,Al
E50Al	Single axis foot adapter
E53s	Polycentric (4-Linkage) Knee Joint, Steel
E53s-D	Polycentric (4-Linkage) Knee Joint, Steel, With Socket Adapter
E53T	Polycentric (4-Linkage) Knee Joint, Titanium
ROS	Knee Rotation Adapter, Steel
ROT	Knee Rotation Adapter, Titanium
E33s	Tube Clamp Adapter Slide,Steel
E34s	Double Receiver Slide Adapter ,Steel
E35s	Rotating and Sliding Adjustment Adapter, with Pyramid
E36s	Rotating and Sliding Adjustment Adapter, with Receiver
E37s	M36 Thread with Pyramid Receiver, Steel
E37T	M36 Thread with Pyramid Receiver, Titanium
E33T	Tube Clamp Adapter Slide,Ti
E34T	Double Receiver Slide Adapter ,Ti
E35T	Rotating and Sliding Adjustment Adapter, with Pyramid, Ti
E36T	Rotating and Sliding Adjustment Adapter, with Receiver, Ti
E70 Body	Shuttle lock w/pyramid, aluminum
E70-Kit	Shuttle lock w/pyramid, aluminum, kit with 3 Prong Ad.
E70-09-Kit	Shuttle lock w/pyramid, aluminum, kit with 4 Prong Ad.
E71 -Body	Shuttle lock w/receiver, aluminum
E71-Kit	Shuttle lock w/receiver, aluminum, kit with 3 Prong Ad.
E71-09-Kit	Shuttle lock w/receiver, aluminum, kit with 4 Prong Ad.
E70-Gear	Gear Mechanism for E70 and E71 Shuttle Lock
E70-Pin	Pin for E70 and E71 Shuttle Lock
SL-Kit	Dummy Kit for E70 and E71 Shuttle Lock
E72-50	Delrin Shuttle Lock Size 50mm
E72-36	Delrin Shuttle Lock Size 36mm
E73-Disk	Lamination disk of E73
E73-Body	Shuttle lock body of E73
E73-Kit	Combination of disc and shuttle lock body of E73



İB-ER MAKİNA A.Ş

Selvilitepe Mah. Kemalpaşa Yolu Cad. İB ER Blok No:20/2 Turgutlu-MANİSA/TÜRKİYE

TEL : + 90 236 312 32 00 & +90 236 312 32 04 - FAX : + 90 236 312 32 06

Mersis No: 0469129640900001

info@ib-er.com



www.ib-er.com

E90 sanis	Sanis
E91-66	Thermoplastic sockets attachment ,66 mm
E91-78	Thermoplastic sockets attachment ,78 mm
E91-88	Thermoplastic sockets attachment ,88 mm
ORTHOTIC COMPONENTS - 16mm Width	
OKJ110-10-16 L/R	Type-10, Knee Joint with Bale Lock & Spring 16 mm Width
OKJ110-20-16 L/R	Type-20, Knee Joint with Bale Lock & Spring 16 mm Width
OKJ110-30-16 L/R	Type-30, Knee Joint with Bale Lock & Spring 16 mm Width
OKJ120-10-16 L/R	Type-10, Knee Joint with Bale Lock 16 mm Width
OKJ120-20-16 L/R	Type-20, Knee Joint with Bale Lock 16 mm Width
OKJ120-30-16 L/R	Type-30, Knee Joint with Bale Lock 16 mm Width
OKJ130-10-16 L/R	Type-10, Knee Joint with Bale Lock 16 mm Width
OKJ130-20-16 L/R	Type-20, Knee Joint with Bale Lock 16 mm Width
OKJ130-30-16 L/R	Type-30, Knee Joint with Bale Lock 16 mm Width
OKJ140-10-16 L/R	Type-10, Knee Joint with Ring Lock 16 mm Width
OKJ140-20-16 L/R	Type-20, Knee Joint with Ring Lock 16 mm Width
OKJ140-30-16 L/R	Type-30, Knee Joint with Ring Lock 16 mm Width
OLB110-16	Lateral Bar Set 16mm Width
OLB110-16AL	Lateral Bar Set 16mm Width, Aluminum
OLB120-16	Side Bar Set for Carbon Orthosis 16 mm Width
OAJ110-10-16 L/R	Type-10, Ankle Joint 16 mm Width
OAJ110-20-16 L/R	Type-20, Ankle Joint 16 mm Width
OAJ110-30-16 L/R	Type-30, Ankle Joint 16 mm Width
OAJ120-16	Foot Stirrup 16 mm
OAJ130-16	Foot Stirrup 16 mm Short Type
ORTHOTIC COMPONENTS - 20mm Width	
OKJ110-10-20 L/R	Type-10, Knee Joint with Bale Lock & Spring 20 mm Width
OKJ110-20-20 L/R	Type-20, Knee Joint with Bale Lock & Spring 20 mm Width
OKJ110-30-20 L/R	Type-30, Knee Joint with Bale Lock & Spring 20 mm Width
OKJ120-10-20 L/R	Type-10, Knee Joint with Bale Lock 20 mm Width
OKJ120-20-20 L/R	Type-20, Knee Joint with Bale Lock 20 mm Width
OKJ120-30-20 L/R	Type-30, Knee Joint with Bale Lock 20 mm Width
OKJ130-10-20 L/R	Type-10, Knee Joint with Bale Lock 20 mm Width
OKJ130-20-20 L/R	Type-20, Knee Joint with Bale Lock 20 mm Width
OKJ130-30-20 L/R	Type-30, Knee Joint with Bale Lock 20 mm Width
OKJ140-10-20 L/R	Type-10, Knee Joint with Ring Lock 20 mm Width
OKJ140-20-20 L/R	Type-20, Knee Joint with Ring Lock 20 mm Width
OKJ140-30-20 L/R	Type-30, Knee Joint with Ring Lock 20 mm Width
OLB110-20	Lateral Bar Set 20mm Width
OLB110-20AL	Lateral Bar Set 20mm Width, Aluminum
OLB120-20	Side Bar Set for Carbon Orthosis 20 mm Width
OAJ110-10-20 L/R	Type-10, Ankle Joint 20 mm Width
OAJ110-20-20 L/R	Type-20, Ankle Joint 20 mm Width



İB-ER MAKİNA A.Ş

Selvilitepe Mah. Kemalpaşa Yolu Cad. İB ER Blok No:20/2 Turgutlu-MANİSA/TÜRKİYE

TEL : + 90 236 312 32 00 & +90 236 312 32 04 - FAX : + 90 236 312 32 06

Mersis No: 0469129640900001

info@ib-er.com



www.ib-er.com

OAJ110-30-20 L/R	Type-30, Ankle Joint 20 mm Width
OAJ120-20	Foot Stirrup 20 mm
OAJ130-20	Foot Stirrup 20 mm Short Type
OTHER PRODUCTS (TUBES & FEET & FOAMS)	
ITEM CODE	DESCRIPTION
HJ-100	Hip Joint - Big size
HJ-200	Hip Joint - Small Size
AL350	Aluminum tube, 350 mm, 100 kg weight limit
AL400	Aluminum tube, 400 mm, 100 kg weight limit
AL450	Aluminum tube, 450 mm, 100 kg weight limit
AL500	Aluminum tube, 500 mm, 100 kg weight limit
Al400-Dia34	Aluminum tube, 400 mm, 134 kg weight limit,Dia.34mm
Al250-Dia34	Aluminum tube, 250 mm, 134 kg weight limit,Dia.34mm
E60-22L	Sach Foot Size 22 Left
E60-22R	Sach Foot Size 22 Right
E60-23L	Sach Foot Size 23 Left
E60-23R	Sach Foot Size 23 Right
E60-24L	Sach Foot Size 24 Left
E60-24R	Sach Foot Size 24 Right
E60-25L	Sach Foot Size 25 Left
E60-25R	Sach Foot Size 25 Right
E60-26L	Sach Foot Size 26 Left
E60-26R	Sach Foot Size 26 Right
E60-27L	Sach Foot Size 27 Left
E60-27R	Sach Foot Size 27 Right
E60-28L	Sach Foot Size 28 Left
E60-28R	Sach Foot Size 28 Right
E60-29L	Sach Foot Size 29 Left
E60-29R	Sach Foot Size 29 Right
E63-22L	Sach Foot Size 22 Left Brown Color
E63-22R	Sach Foot Size 22 Right Brown Color
E63-23L	Sach Foot Size 23 Left Brown Color
E63-23R	Sach Foot Size 23 Right Brown Color
E63-24L	Sach Foot Size 24 Left Brown Color
E63-24R	Sach Foot Size 24 Right Brown Color
E63-25L	Sach Foot Size 25 Left Brown Color
E63-25R	Sach Foot Size 25 Right Brown Color
E63-26L	Sach Foot Size 26 Left Brown Color
E63-26R	Sach Foot Size 26 Right Brown Color
E63-27L	Sach Foot Size 27 Left Brown Color
E63-27R	Sach Foot Size 27 Right Brown Color
E63-28L	Sach Foot Size 28 Left Brown Color
E63-28R	Sach Foot Size 28 Right Brown Color



İB-ER MAKİNA A.Ş

Selvilitepe Mah. Kemalpaşa Yolu Cad. İB ER Blok No:20/2 Turgutlu-MANİSA/TÜRKİYE

TEL : + 90 236 312 32 00 & +90 236 312 32 04 - FAX : + 90 236 312 32 06

Mersis No: 0469129640900001

info@ib-er.com



www.ib-er.com

E63-29L	Sach Foot Size 29 Left Brown Color
E63-29R	Sach Foot Size 29 Right Brown Color
E61-22L	Single Axis Foot Size 22 Left
E61-22R	Single Axis Foot Size 22 Right
E61-23L	Single Axis Foot Size 23 Left
E61-23R	Single Axis Foot Size 23 Right
E61-24L	Single Axis Foot Size 24 Left
E61-24R	Single Axis Foot Size 24 Right
E61-25L	Single Axis Foot Size 25 Left
E61-25R	Single Axis Foot Size 25 Right
E61-26L	Single Axis Foot Size 26 Left
E61-26R	Single Axis Foot Size 26 Right
E61-27L	Single Axis Foot Size 27 Left
E61-27R	Single Axis Foot Size 27 Right
E61-28L	Single Axis Foot Size 28 Left
E61-28R	Single Axis Foot Size 28 Right
E61-29L	Single Axis Foot Size 29 Left
E61-29R	Single Axis Foot Size 29 Right
E62-22L	Dynamic Foot Size 22 Left
E62-22R	Dynamic Foot Size 22 Right
E62-23L	Dynamic Foot Size 23 Left
E62-23R	Dynamic Foot Size 23 Right
E62-24L	Dynamic Foot Size 24 Left
E62-24R	Dynamic Foot Size 24 Right
E62-25L	Dynamic Foot Size 25 Left
E62-25R	Dynamic Foot Size 25 Right
E62-26L	Dynamic Foot Size 26 Left
E62-26R	Dynamic Foot Size 26 Right
E62-27L	Dynamic Foot Size 27 Left
E62-27R	Dynamic Foot Size 27 Right
E62-28L	Dynamic Foot Size 28 Left
E62-28R	Dynamic Foot Size 28 Right
E62-29L	Dynamic Foot Size 29 Left
E62-29R	Dynamic Foot Size 29 Right
E60-mika	Plastic Mika for Sach Foot and Dynamic Foot Adapters
E61cup-22	Plastic Cup for Single Axis Foot Size 22
E61cup-23	Plastic Cup for Single Axis Foot Size 23
E61cup-24	Plastic Cup for Single Axis Foot Size 24
E61cup-25	Plastic Cup for Single Axis Foot Size 25
E61cup-26	Plastic Cup for Single Axis Foot Size 26
E61cup-27	Plastic Cup for Single Axis Foot Size 27
E61cup-28	Plastic Cup for Single Axis Foot Size 28
E61cup-29	Plastic Cup for Single Axis Foot Size 29



İB-ER MAKİNA A.Ş.

Selvilitpe Mah. Kemalpaşa Yolu Cad. İB ER Blok No:20/2 Turgutlu-MANİSA/TÜRKİYE

TEL : + 90 236 312 32 00 & +90 236 312 32 04 - FAX : + 90 236 312 32 06

Mersis No: 0469129640900001

info@ib-er.com



www.ib-er.com

E58	Interim AK Socket Adapter
E66-36L-A	AK Foam Cover Size 36 Left Type A
E66-36R-A	AK Foam Cover Size 36 Right Type A
E66-40L-A	AK Foam Cover Size 40 Left Type A
E66-40R-A	AK Foam Cover Size 40 Right Type A
E66-44L-A	AK Foam Cover Size 44 Left Type A
E66-44R-A	AK Foam Cover Size 44 Right Type A
E66-36L-B	AK Foam Cover Size 36 Left Type B
E66-36R-B	AK Foam Cover Size 36 Right Type B
E66-40L-B	AK Foam Cover Size 40 Left Type B
E66-40R-B	AK Foam Cover Size 40 Right Type B
E66-44L-B	AK Foam Cover Size 44 Left Type B
E66-44R-B	AK Foam Cover Size 44 Right Type B
E66-36L-C	AK Foam Cover Size 36 Left Type C
E66-36R-C	AK Foam Cover Size 36 Right Type C
E66-40L-C	AK Foam Cover Size 40 Left Type C
E66-40R-C	AK Foam Cover Size 40 Right Type C
E66-44L-C	AK Foam Cover Size 44 Left Type C
E66-44R-C	AK Foam Cover Size 44 Right TypeC
E66c	AK Foam Cover for Children
E65	Plastozot foam cover
E67	BK foam cover
E67c	BK foam cover for Children
E68-36L	DK Foam Cover Size 36 Left
E68-36R	DK Foam Cover Size 36 Right
E68-40L	DK Foam Cover Size 40 Left
E68-40R	DK Foam Cover Size 40 Right
E68-44L	DK Foam Cover Size 44 Left
E68-44R	DK Foam Cover size 44 Right
M01-6	Perlon Stockinette 6 cm Diameter
M01-8	Perlon Stockinette 8 cm Diameter
M01-10	Perlon Stockinette 10 cm Diameter
M01-12	Perlon Stockinette 12 cm Diameter
M01-15	Perlon Stockinette 15 cm Diameter
M02-35	Stump Sock with Pin Hole 35 cm Length
M02-50	Stump Sock with Pin Hole 50 cm Lenght
M03-35	Stump Sock without Pin Hole 35 cm Length
M03-50	Stump Sock without Pin Hole 50 cm Length

İB-ER MAKİNA A.Ş.

Selvilitpe Mah. Kemalpaşa Yolu Cad. İB ER Blok
No:20/2 Turgutlu/MANİSA

Tel:+90 236 312 32 00 Fax:+90 236 312 32 06

Turgutlu v.D. 489 129 6409 Tic.Sic.No. 6048

Mersis No. 0469129640900001 info@ib-er.com